



exposed to noise

-Tech Rider-



 = 230 V

exposed to noise

-Tech Rider-

1	Kicktrigger	own DI	
2	Snaredrum	SM57	Compressor 1
3	Snaretrigger	own DI	
4	Hi Hat	any kind of condenser	
5	Overhead left	any kind of condenser	
6	Overhead right	any kind of condenser	
7	Tomtrigger left	own DI	
8	Tomtrigger right	own DI	
9	Bassguitar	DI Box	Compressor 2
10	Guitar left	SM 57	
11	Guitar right	SM 57	
12	Samples left	own DI	
13	Samples right	own DI	
14	Center Vocals	SM 58	Compressor 3/4 at Vocalgroup

FOH

Mixing Desk: minimum 14 channels with 2 semiparametric Mid EQ`s
(digital mixing desks are welcome!)

Outboard: 4 channels Compressor
2 channels Graphic EQ
2 Reverb units
1 Tap Delay unit

MONITORING

- 4 way monitoring
- If monitoring is done at FOH we need 4 channels graphic EQ`s
- We don`t bring our own monitoring engineer!

exposed to noise

-Tech Rider-

exposed to noise

-Tech Rider-

Contact

Andreas Imig

email: info@exposed-to-noise.de

phone: 01708117169

For questions regarding technical issues please contact our engineer:

Joern Michutta

email: Earny0815@gmx.de

phone: 01707352112

Thank you!

-Exposed to Noise-

exposed to noise

-Tech Rider-